




Minimal Frame. Maximum Light.

For Urban Spaces That Breathe

SLIMLINE

SERIES

Minimalist in form, powerful in function,
Slimline frames your space without framing
your view.



SLIMLINE

SERIES

Minimalism Meets Mastery

Slimline is India's first single-point fabricated aluminium system that brings seamless visual finesse to modern spaces. For those who demand clean lines, quiet operation, and globally benchmarked quality, this is your frame.

Core Benefits:

- » Ultra-slim sightlines with casement and sliding options
- » Silent closing, zero-gap joinery
- » Ensures superior water tightness with precision-sealed frames that keep interiors dry and protected.

Recommended For:

Luxury homes, minimalist interiors, villas, premium hospitality projects.

Slimline Series



SLIMLINE


Sliding Windows & Doors




SLIMLINE

Casement Windows & Doors

Features That Frame with Finesse



1



2

1 Engineered with wool pile and gaskets to reduce noise, wind, and dust, ensuring quiet comfort in every slide.

2 Reinforced interlocks and handles built to handle extreme rain and wind with ease.



3



4

3 Twin-screw overlap construction with custom inserts eliminates vibration, noise, and structural gaps.

4 Exclusive insert technology prevents water seepage and ensures seamless frame durability.



5




6

5 Extruded tracks hold shutter weight with zero sagging or denting, perfect for long-term performance.


6 One-way valve caps drain water efficiently while keeping wind and dirt out.

Sliding Track Options


2 Track



3 Track



4 Track



Slimline Series



SLIMLINE

SLIDING

- Sliding Windows
- Sliding Doors

Slimline Sliding Windows move with quiet precision, gliding horizontally to invite light and air without intruding on your space. Ideal for modern homes, narrow openings, or design-forward interiors where every inch counts, they combine clarity with ease, offering seamless ventilation with minimal visual noise.



SLIMLINE

CASEMENT


- Casement Windows
- Casement Doors

Slimline Casement Windows are side-hinged panels that open outward with a smooth crank, perfect for capturing breeze and framing the outdoors. Designed for kitchens, stairwells, and elevated views. They offer full ventilation, tight sealing, and fingertip control, all in a silhouette that stays sleek and refined.




Slimline Series

Slimline Sliding Series: Interlock Options



Without Reinforcement




With Reinforcement

Slimline Sliding Series: Handle Section Options






Without Reinforcement




With Reinforcement

Slimline Sliding Series: Drainage System



Slimline Series


Slimline Sliding Series: Building Connection



Windows on the FFL


Windows flushed with FFL on inside

Slimline Casement Series: Windows



Slimline Series

Slimline Casement Series: Drainage



Outside Opening Window

Inside Opening Window

Slimline Casement Series: Hinges




Slimline Casement Series: Windows



Tilt & turn Window

Inside openable

Slimline Casement Series: Doors



Single panel door


Inside openable

Outside openable




Slimline Sliding Windows/Doors

POSSIBLE VARIATIONS



Slimline Casement Windows/Doors

POSSIBLE VARIATIONS



Slimline Series

TECHNICAL SPECIFICATIONS

MW SLIMLINE CASEMENT WINDOW SERIES C40		
Variants		
System Depth	Outer Frame	40.0 mm
	Vent/Shutter	49.0 mm
Visible Dimensions	Window Shutter Width	78.4 mm
	T-Profile Window	70.0 mm
	Glazing Bead Height	21.0 mm
Profiles		
Aluminium	Alloy 6063- T5/T6	
Wall Thickness	Minimum Profile Thickness 1.5 mm-1.8 mm	
Glazing		
Glass Thickness	5 mm to 24 mm	
Sealing	All Glass Glazing with EPDM	
Assembly Specifications		
Corner connection Frame and Shutter		45° Connection with Corner Cleat
Design Specifications		
Wind Load	Wind load are considered as per IS 875-III	
Hardware	All EuroGrove type 1 compatible, Single/multipoint locking possibilities	
Colour	Profile finish in RAL powder coating, wood grain finish, Anodisation	
Sash Width (Max)	800 mm	
Sash Height (Max)	2100 mm	
Sightline	Frame-45 & Sash 50 mm	
Max Weight	60 kg	

Slimline Series

TECHNICAL SPECIFICATIONS

MW SLIMLINE CASEMENT DOOR SERIES D40		
Variants		
System Depth	Outer Frame	40.0 mm
	Vent/Shutter	49.0 mm
Visible Dimensions	Window Shutter Width	92.5 mm
	T-Profile Window	100.0 mm
	Glazing Bead Height	21.0 mm
Profiles		
Aluminium	Alloy 6063- T5/T6	
Wall Thickness	Minimum Profile Thickness 1.5 mm-1.8 mm	
Glazing		
Glass Thickness	5 mm to 24 mm	
Sealing	All Glass Glazing with EPDM	
Assembly Specifications		
Corner connection Frame and Shutter		45° Connection with Corner Cleat
Design Specifications		
Wind Load	Wind load are considered as per IS 875-III	
Hardware	All EuroGrove type 1 compatible, Single/multipoint locking possibilities	
Colour	Profile finish in RAL powder coating, wood grain finish, Anodisation	
Sash Width (Max)	1200 mm	
Sash Height (Max)	3000 mm	
Sightline	Frame-62 & Sash 63 mm	
Max Weight	120 kg	

Slimline Series

TECHNICAL SPECIFICATIONS


MW SLIMLINE CASEMENT SERIES B 100		
Variants		
System Depth	Outer Frame	100.0 mm
	Vent/Shutter	61.0 mm
Visible Dimensions	Window Shutter Width	84.0 mm
	T-Profile Window	75.0 mm
	Glazing Bead Height	21.0 mm
Profiles		
Aluminium	Alloy 6063- T5/T6	
Wall Thickness	Minimum Profile Thickness 1.5 mm-1.8 mm	
Glazing		
Glass Thickness	12 mm to 26 mm	
Sealing	All Glass Glazing with EPDM	
Assembly Specifications		
Corner connection Frame and Shutter		45° Connection with Corner Cleat
Design Specifications		
Wind Load	Wind load are considered as per IS 875-III	
Hardware	All Eurogroove type 1 compatible, Single/multipoint locking possibilities	
Colour	Profile finish in RAL powder coating, wood grain finish, Anodisation	
Sash Width (Max)	1500 mm	
Sash Height (Max)	1500 mm	
Sightline	Frame-48 & Sash 56 mm	
Max Weight	100 kg	

Slimline Series


TECHNICAL SPECIFICATIONS

MW SLIMLINE SLIDING SERIES-S66				
Variants		2 Track	3 Track	4 Track
System Size	Outer Frame Width	66 mm	105 mm	144 mm
	Vent Width	31.0 mm		
Visible Dimensions	Outer Frame Height	47.3 mm		
	Handle Section Depth	70.0 mm		
	Top/Bottom Section Depth	70.0 mm		
	Interlock Section Depth	50.0 mm		
Profiles				
Aluminium	Alloy 6063- T5/T6			
Wall Thickness	Minimum Profile Thickness 1.5 mm-1.8 mm			
Glazing				
Glass Thickness Single and DGU Glazing		5 mm to 20 mm		
Sealing		All Glass Glazing with EPDM, Sliding with brush seals		
Assembly Specifications				
Corner connection Frame		90° assembly with patented frame insert		
Corner connection Shutter		90° overlapping		
Design Specifications				
Wind Load	Wind: Class- C5 (2000Pa) Water: Class 7A(300Pa) Air: Class 4 (600Pa)			
Bug Mesh	Glass Reinforced Fibre Mesh/Stainless steel (optional)			
Hardware	All Eurogroove type 1 compatible, Single/multipoint locking possibilities			
Colour	Profile finish in RAL powder coating, wood grain finish, Anodisation			
Sash Width (Max)	1500 mm			
Sash Height (Max)	3200 mm			
Sightline	50 mm			
Max Weight	200 kg			

HARDWARE & PERIPHERAL



HARDWARE & PERIPHERAL





Finishes That Frame Your Style

MyWindow offers a rich palette of over 1500 RAL-certified finishes designed to complement every architectural vision. From classic matte and gloss textures to elegant pastels, metallic sheens, and woodgrain laminates, our finishes are not only visually stunning but also UV-stable, scratch-resistant, and built for long-term performance. Whether you're designing a warm, traditional home or a bold, modern space, there's a perfect finish waiting to frame your world beautifully.



- Powder coated
- Anodized coated
- Wooden coated



RAL 7006 RAL 9003 MATTE FINISH SAHARA BLACK AZTEC GREY DARK GREY LCS 1009

Project Portfolio

SPACES FRAMED BY MYWINDOW



Kasturi Lords

Location:Pune

Nestled in the heart of Shivajinagar, Kasturi Lords Estate is a boutique, 13-storey, high-end residential tower by Kasturi Housing. Featuring just 10 ultra-spacious 4 BHK apartments (~2,950 sq ft each), this project showcases MyWindow's Slimline Series system, adding elegance, acoustics, and panoramic light control.



Ceebros One74

Location:MRC Nagar, Chennai

Located on the picturesque Adyar Sea Face, One74 offers 3-4 BHK premium apartments (~2,200-6,080 sq ft). MyWindow designed a unique sliding louver system, which enhances the look of the elevation.

Project Portfolio

SPACES FRAMED BY MYWINDOW



MANGO VILLA

Location: Assagao, Goa

Tucked away in the serene village of Assagao, Mango Villa by Sun Estates blends Goan tropical charm with refined luxury. MyWindow's Slimline Series frames the villa's seamless indoor-outdoor transitions, offering whisper-quiet sliding, expansive light flow, and minimalist elegance in every room.



Akshar Árbol International School

Location: Injambakkam, Chennai

This IB curriculum school emphasizes natural light, cross-ventilation, and climate-sensitive architecture. MyWindow supplied customized Pleated Mesh Systems and Slide & Fold units for courtyard connectors and shaded indoor/ outdoor transitions.



Testing Certifications & Accreditation

SIGNATURE SERIES




SLIMLINE SERIES



SMILE SERIES



Clients Who Inspire Confidence





Frame Your World

Since 2014, MyWindow has redefined what a window can mean in Indian architecture, transforming it from a structural necessity into a soulful, lifestyle-enhancing element. Rooted in design, driven by innovation, and built with precision, we craft aluminum system windows and doors that stand the test of time, weather, and style.

We believe in creating windows that frame more than just views, they frame life. From bustling cities to serene retreats, MyWindow is committed to elevating how people see, feel, and live inside their spaces.

www.mywindow.co.in

Registered Office & Factory

MyWindow Industries Pvt Ltd.

Sr. No.1102, Plot No. 1131, Urawade Road, Pirangute,
Taluka-Mulshi, Dist. Pune - 412 115 Maharashtra, India

Contact:

enquiry@mywindow.co.in
+91 89757 89890

© 2025 MyWindow® is a registered brand under MyWindow Industries Pvt Ltd.
All rights reserved. All designs, names, and trademarks are the property of their
respective owners.

Follow us on:

Crafted in India. Inspired by life.

